Physiology & Behavior, Vol. 52, pp. III–VIII, 1992
Printed in the USA.

0031-9384/92 $5.00 + .00
Copyright © 1992 Pergamon Press Ltd.

VOLUME 52 1992

SUBJECT INDEX

Abdominal operation, 597
Acquisition, 827
Active avoidance, 185, 441
Active avoidance emotionality, 149
Activity, 231, 411
Activity-stress paradigm, 299
Acute phase response, 831
Adaptation, 475
Addiction, 379
Adenine nucleotide metabolism, 803
Adenosine, 559
Adipocyte, 1141
Adipose tissue, 363
Adjunctive behavior, 481
Adrenalectomy, 547
Adult male rats, 935
Age differences, 1201
Aged rats, 717
Aggression, 287, 727, 773, 1043
Aging, 13, 185, 603, 959, 1029, 1127
Alarm calls, 655
Alarm substance, 781
Albino rats, 851
Alcohol, 749
Aldosterone, 1161, 1167
Alimentary diurnal pattern, 935
α-Adrenergic drugs, 547
Ambient temperature, 455
Ambulation, 97
Ambulatory monitoring, 471
Amphetamine, 515
Amplitude, 1055
Amygdala, 327, 505
Analgesia, 179, 511
Androgen, 1
Angiotensin, 569
Anhedonia hypothesis, 299
Animal behavior, 655
Animal communication, 655
Animal models, 441
Annual, 411
Anodal polarization, 1197
Anogenital distance, 163
Anorexia, 351, 831
Antagonist, 1155
Anterograde amnesia, 449
Anticholinesterase, 971
Anticipatory nausea, 895
Anticipatory reflexes, 879
Antidepressants, 441
Anxiety, 37, 271, 873, 945, 1117
Apomorphine, 321
Appetite, 305
ARD, 7
Arecoline, 971
Arterial pressure, 49
Aspartic acid, 1113
Auditory evoked potential, 401
Autoimmunity, 1085
Automated recording, 1101
Autonomic nervous system, 679
Autonomic responses, 1127
Autoradiography, 713
AV3V region, 173
Aversion, 405, 1141
Aversive conditioning, 105
Avian gut, 261
Avoidance–escape test, 945

Baroreceptor carotid manipulation, 953
Bed nucleus of the accessory olfactory tract, 707
Behavior, 227, 429, 945
Behavioral inhibition, 493
Behavioral thermoregulation, 1133
Benextramine, 965
Bidirectional heart-rate changes, 953
Biogenic amines synthesis, 865
Black-white discrimination, 851
Blood pressure, 205, 393, 731
Blood volume, 569
Body fat, 577, 695
Body fluids, 647
Body temperature, 393, 455, 493, 859, 1155
Body weight, 115, 163, 485, 515, 673, 1069, 1151
Body weight gain, 935
Body weight loss, 1187
Body weight set-point, 1173
Bone density, 577
Bradycardia, 1127
Bradykinin, 405
Brain, 7, 227
Brain damage, 665
Brain epinephrine neurons, 389
Brain 5HT metabolism, 1095
Brainstem, 205
Brief contact taste test, 1107
Burying behavior, 37

Cachexia, 333
Caffeine, 559
Calcium–calmodulin, 865
Calcium efflux, 717
Callosal lesion, 851
Calm situation, 393
Cancer, 803
Capsaicin, 1037
Carbohydrate polymers, 929
Carbohydrate(s), 535, 749, 1161
Cardiovascular control, 173
Cardiovascular regulation, 205
Carotid cannulation, 1211
Catecholamines, 679
Cats, 553
Cell dehydration-induced drinking, 153
Cerebellum, 83, 339
Cerebral cortex, 1197
Cerebral drug administration, 1211
Cerebral glucose uptake, 1009
Cerebral ischemia, 141
Cerebrospinal fluid, 499
Cessation of TPN, 591
Chemical communication, 521
Chemosensation, 761
Chemosensory, 105
Chemosensory/olfactory-directed behavior, 741
Chemotherapy, 895
Chin-marking behavior, 889
Chinning, 889
Cholinergic, 971
Cholinergic system, 173
Cholinomimetic activity, 141
Chronic psychosocial stress, 755
Chronobiology, 231
Cimetidine, 569
Cingulate, 665
Circadian, 411, 839
Circadian rhythm(s), 189, 231, 277, 621, 843, 985, 997, 1167
Circulating catecholamines, 1167
Classical conditioning, 83, 895
Clonidine, 547
Closed economy, 1077
Cocaine, 379
Coccidia, 373
Coitus, 195
Cold thermoregulation, 455
Colonic transit time, 1021
Communication box, 475
Conditioned place preference, 629
Conditioned taste aversion, 929
Conditioning, 1009
Conspecific threat, 493
Consummatory behavior, 1037
Contralateral visual cortex lesion, 851
Control of ventilation, 1113
Coping, 355
Corn oil, 761
Cortical extopias, 1085
Corticosterone, 159, 355, 475, 755, 787, 1161, 1167
Cost of food, 1077
Couples, 565
CPBB, 1201
CRF, 393
Critical periods, 1113
Critical periods of growth, 363
Crop, 261
Cues, 979
Cytokine(s), 831, 859, 1155

Daily, 411
Delay duration, 767
Delay of reinforcement, 767
Delay periodicity, 767
Delayed alternation, 827
Delayed neuronal death, 141
Demasculinization, 925
Depression, 441, 945, 1117
Devazepide, 815
Development, 189, 291, 493, 613, 787, 889, 1037
Diet composition, 1193
Diet-induced thermogenesis, 879
Dietary choline supplementation, 1201
Dietary fat, 363
Differential starvation, 1141
Dimethyl disulfide (DMDS), 761
Disaccharide, 27
Discriminant analysis, 199
Discrimination learning, 321
Discriminative taste aversion, 629
Diuresis, 647

Diurnal, 597
Diurnal rhythm, 661
DOPAC, 1015
Dopamine, 299, 379, 979
Dorsal periaqueductal gray, 405
Dorsomedial hypothalamus, 211
Dream, 553
Drinking, 115, 455, 885, 1069, 1179
DRL, 1201
DSP-4, 271

Early influence, 189
Eating, 749
EEG, 199
Eimeria, 373
Electrolyte balance, 173
Electrolytic lesion, 211
Elevated plus maze, 149
Emotionality, 97
Endogenous depression, 1095
Endogenous opioids, 925
Energy allocation, 247
Energy balance, 1173
Energy metabolism, 287
Enkephalins, 65
Enteric sodium excretion, 285
Entorhinal, 665
Entrainment, 621, 985
Environment, 231
Epileptic convulsions, 865
Epileptic mice, 865
Epinephrine, 205, 355
Epinephrine excretion, 397
Erytrocytic Mg, 819
Estradiol, 277, 755, 773, 889
Estradiol benzoate, 1113
Estradiol-17β, 159
Estrogen receptor, 7
Estrogen, 159, 613, 699, 965
Estrus, 635
Ethanol-induced sleep, 865
Ethanol intake, 481
Ethology, 1207
Event recording, 183
Event-related potentials, 423
Exercise endurance, 389
Exercise, 97, 277, 577, 679, 819
Experimental conditions, 231
Exploration, 271, 1029
Exploration behavior, 339

Faecal sodium excretion, 285
Fasting, 723
Fat, 1161
Fear, 655
Feeding, 251, 455, 547, 831, 859, 879, 1069
Feeding behavior, 597, 1101
Feeding indexes, 597
Feeding patterns, 1015
Feeding rhythm, 1101
Feeding schedule, 1193
Feeding suppression, 333
Female, 7
Female hyperphagia, 485
Female rats, 629
Female sexual behavior, 755
Female S5B/Pl rats, 577
Feminization, 925
Ferret, 809
Fetal behavior, 761
Fetal environment, 1091
Fever, 859
Finite Fourier transform, 189
5-HIAA dopamine, 1015
5-HT, 373
5-HT_{1A} receptor, 355
Fixed-interval schedule, 481
Flash visual evoked potential, 401
Flavor, 535
Flexion, 1197
Fluid balance, 173
Food and fluid intake, 935
Food consumption, 515
Food deprivation, 547, 1133
Food-entrainable rhythm, 843
Food intake, 261, 267, 305, 485, 541, 577, 591, 597, 731, 815, 859, 1077, 1101, 1151, 1155, 1173
Food preference, 1101
Food pulses, 997
Food-reinforcement, 827
Footshock, 945
Force discrimination, 839
Forced swim test, 149, 781, 1117
Forced swimming test, 945
(Fore)stomach motility, 859
Free fatty acids (FFA), 679
Freezing, 493, 655, 895
Fructose, 219, 1107
Furosemide, 647

GABA/BDZ receptor complex, 393
Gait analysis, 823
Garlic, 1091
Gastric secretion, 569
Gastroparesis, 351
General anesthesia, 597
Genetic markers, 429
Genetics, 75, 127
Gerbil, 59
Glucocorticoid, 583, 755
Glucoprivation, 313
Glucose, 59, 219, 679, 723, 1107
Glucose injection, 237
Glucose utilization, 713
Glutamate, 737
Goat, 859
Golden hamster, 1, 59
Goldthioglucose, 91
Gonadectomy, 809
Grooming, 895
Group size, 17
Growth, 889
Gustatory preference, 673

Habituation, 21, 339, 641, 781, 1029
Haloperidol, 979
Halothane anesthesia, 449
Hamster(s), 183, 267, 1151
Handling, 655
Heart frequency, 393
Heart rate, 33, 859
Hedonic(s), 21, 75, 219
Hepatic, 885
Hepatic vagus nerve, 237
Herbivores, 285
High fat diet, 577
Hippocampus, 505
Hoarding behavior, 1173
Homeostasis, 647
Hormonal response, 389
Hormones, 613, 965
Housing conditions, 935
Huddling, 247
Human(s), 75, 219, 411, 647, 749, 839
Human olfaction, 1047
Hunger, 27, 1015
Hyperactivity, 49
Hypertension, 49, 205
Hypophagia, 133
Hypothalamic activities, 1187
Hypothalamic norepinephrine, 1167
Hypothalimic–pituitary–adrenal system, 787
Hypothalamus, 173, 205, 695, 925
Hypothyroidism, 385

IL-1β, 1155
Immobility behavior, 1127
Implantation, 159
Inbred mice, 231, 505
Inbreeding, 49
Indirect calorimetry, 879
Individual housing, 1167
Indomethacin, 153
Inferior colliculus, 401
Infusion, 885
Ingestive behavior, 21, 455
Inhibitory avoidance, 449
Insomnia, 199
Insulin, 237, 313, 345, 679
Insulin binding, 713
Insulin secretion, 717, 723, 1193
Intake, 641
Intercourse, 195
Interferon, 859
Interleukin(s), 859, 1155
Interleukin-1, 351, 831, 1155
Interline differences, 321
Intermale aggression, 91
Internal fat, 583
Interpositus nucleus, 83
Intrauterine position, 163
In utero, 1091
Ipsapirone, 355
Ischemia, 1025
Islets, 717
Islet cells, 1193
Isoamylacetate, 105

Juveniles, 889
Juvenile rat, 499

Kainic acid, 37
Kappa agonist, 1179
Kidney, 647

Lactation, 485
Lactose, 59, 761
Lashley maze, 1085
Latency, 1055
Lateral hypothalamus, 133, 1069
Lateral preoptic area (LPO), 241
Lead, 687
Learning, 339
Lesion(s), 83, 133, 505, 707
Lever press, 767
Levocarnitine acetyl, 185
LHRH, 737, 809
Licking rate, 1107
Light stimulation, 127
Light/dark cycle, 1077
Lighting, 621
Lipolytic factor, 333
Liquid intake, 731
Lithium, 665

Lithium chloride, 105
Litter size, 363
Locomotion, 1, 97, 823
Locomotor, 411
Locomotor activity, 843, 865, 1029
Lordosis, 7, 291, 965
Lordosis behavior, 737
Lordosis reflex, 603
LPL activity, 583
Lunar, 411
Luteal functioning, 699
Luteinizing hormone, 925

Macintosh microcomputer, 183
MacLean, 665
Magnitude, 1055
Males, 13, 1009
Male adult rats, 707, 1167
Male and female rats, 767
Male dominance, 909
Male rat(s), 327, 629, 1113, 1179
Male sexual behavior, 183
Maltose, 27, 1107
Mammillary complex, 211
Mandrill, 909
Mannitol, 241
Marking patterns, 521
Marsupials, 613
Mate choice, 373
Maternal aggression, 1043
Maternal behavior, 189, 379, 707, 727, 773, 901, 1043
Maternal bonding, 665
Maternal deprivation, 787
Maternal regulation, 787
Mating, 809
Maudsley rat strains, 1117
Maudsley reactive and nonreactive rats, 149
Maudsley reactive and nonreactive rat strains, 873
MBH, 809
Meal pattern(s), 541, 1141, 1179
Meals, 749
Medial forebrain bundle, 211
Medium chain triglyceride, 815
Memory, 339, 827
Memory retrieval, 449
Menstrual, 411
Metabolic rate, 247
Metabolism, 133, 389, 879
Methamphetamine, 843
Methyl xanthine, 559
M520 strain, 827
Mice, 485, 511, 901
Microcomputer, 661
Microdialysis, 1015
Milk, 761
Minaprine, 141
Mineralocorticoid, 793
Mole rat, 741
Mongolian gerbil(s), 141, 661
Monocular enucleation, 851
Monosodium glutamate, 879
Morphine, 179, 673, 1055
Morris water maze, 971, 979
Motility, 261, 471
Motor behavior, 1197, 1207
Mouse, 59, 105, 521
Muscarinic, 971
Muscle, 287
Muscle function, 803
Muscle weights, 577

NaCl, 1037
Na electrode, 499
Naloxone, 405, 673, 917
Naltrexone, 511
Naps, 397
Natriuresis, 173, 647
Natriuretic, 227
Neonatal undernutrition, 695
Neostriatal dopamine, 865
Neural capacity, 1047
Neuropeptide Y, 205, 965
Neurotransmitters, 227
Newborn hystricomorph rodent, 247
NMDA, 609, 687, 737
NMDA and non-NMDA antagonists, 737
NMDA-induced lesions, 1069
Nociception, 405, 699
Nocturnal 597
Nonopioid analgesia, 373
Noradrenaline, 901
Norepinephrine, 205, 271, 355
NPC 12626, 609
Nucleus reticularis paragigantocellularis, 65
Nutrition, 75
NZB mice, 1085

Obese mouse, 91
Obese rats, 713
Obesity, 717
Odor, 105, 1091
Odor delivery systems, 617
Odor discrimination, 617
Odor mixtures, 1047
Old rats, 185
Olfaction, 521, 1121
Olfactory adaptation, 1047
Olfactory bulbectomy, 441, 755, 1151
Olfactory bulb removal, 635
Olfactory cues, 373
Olfactory learning, 901
Oneiric behavior, 553
Ontogeny, 889
Open field, 49, 441, 945
Open-field test, 97
Operant behavior, 49, 1025
Operant conflict behavior, 873
Opiate analgesia, 65
Opioids, 179, 761, 917
Opioid analgesia, 373
Opossums, 613
Osmoreceptor, 241, 499, 885
Osteoclast, 731
Ovary(ies), 277, 291
Ovine, 1091
Oxotremorine, 971
Oxygen consumption, 97
Oxytocin, 917

Pain, 65, 179
Palatability, 219, 1107
Pancreatic islets, 723
Paradoxical sleep, 127, 609
Paradoxical sleep without muscle atonia, 553
Parasites, 373
Parasites and behavior, 373
Paraventricular nucleus, 1015
Parental behavior, 635
Parenteral nutrition, 591
Parotid gland, 1121
Partner preference, 635
Parturition, 665, 917

Passive avoidance, 441, 971
PD117302, 1179
Peptide-32, 227
Periaqueductal gray, 65
Perifusion, 809
Person recognition, 565
Phase related external suction, 953
Phase shifts, 985, 997
Phenylpropanolamine, 547
Pheromone(s), 105, 741, 889
Photic stimulator, 401
Photoperiod, 411
Physical activity, 723
Physical contact, 1
Physiological vs. psychological differentiation, 953
Physostigmine, 971
Pig mouth-to-cecum transit time, 1021
Pigeons, 455
Pigs, 471, 569, 917
Pilocarpine, 665, 971
Pimozide, 299
Pinning postures, 1
Placenta, 179
Placentophagia, 179
Plasmatic Mg, 819
Play fighting, 1
Plus-maze, 37
PNMT inhibition, 389
POEF, 179
Polarizing current, 1197
Polycose, 1107
Portal, 885
Postprandial sleep, 251
Potassium chloride, 241
Prairie vole, 635
Precopulatory, 105
Preexam situation, 393
Preference, 59, 105, 535, 1037
Pregnancy blocks, 159
Prenatal stress, 925
Preputial glands, 91
Preweanling rats, 493
Proceptivity, 755, 965
Professional drivers, 423
Progesterone, 159, 291, 699, 737, 755, 773, 965
Prolactin, 1063
Prolonged recording, 471
PROP, 75
Proprioception, 839
Prostaglandin(s), 153, 351
Pseudopregnancy, 727
Psychobiology, 1207
Psychological stress, 393, 475
PTC, 75
Puberty, 889

Quantitative immunohistochemistry, 865
Quantitative trait loci, 429
Quinine, 1037
Quinine sulfate, 385
Quisqualic acid, 37

Rabbit(s), 33, 889, 1197
Radiofrequency radiation, 511
Radiotelemetry, 33
Rapid eye movements, 553
Rat(s), 7, 17, 59, 115, 127, 179, 205, 237, 339, 351, 379, 401, 405, 475, 541, 597, 603, 655, 665, 673, 695, 781, 815, 885, 945, 959, 979, 1009, 1029, 1069, 1155, 1201, 1207, 1211

Rat fetus, 761
Rate-current curve, 211
Rate-frequency curve, 211
Rate-frequency function, 313
Receptivity, 755, 965
Recombinant inbred series, 429
Rectal distension, 1021
Reinforcement, 49
REM sleep, 127
Renal physiology, 647
Reproduction, 105
Reproductive hormones, 291
Reproductive isolation, 741
Respiratory quotient, 879
Response acquisition, 767
Response duration, 839
Response latency, 839
Rest-activity, 621
Restraint, 305
Restricted feeding, 843, 985
Resumption of food intake, 591
Reward systems, 299
Rhesus macaques, 13
Rhythm, 411
RNA, 695
Rodents, 183
Ruminants, 285
Running activity, 299
Running wheel, 481
RU28362, 1161

Saccharin, 115, 385, 945
Saline, 793
Salivary, 195
Salivation, 305, 1121
Salt, 219, 541
Salt appetite, 285
Salt preference, 541
Satiation, 27
Satiety, 21, 251, 1015, 1141
Scent, 373
Scent marking, 889
Scent-marking behavior, 661
Schedule-induced polydipsia, 481
Schedules of reinforcement, 1025
Secondary sexual characteristics, 909
Seizure(s), 665, 687
Selective attention, 1047
Self-estimates, 397
Self-stimulation, 211, 313
Seminatural environment, 33
Sensitization, 475
Sensory-specific satiety, 305
Septal lesions, 37
Septal nuclei, 83
Serotonin, 1015, 1167
Serum estradiol, 13
Serum prolactin, 13
Serum testosterone, 13
Sex, 105, 327
Sex attractant, 741
Sex behavior, 291
Sex differences, 1
Sexual arousal, 327, 1009
Sexual arousal/behavior, 925
Sexual behavior, 13, 603, 965
Sexual differentiation, 163, 613
Sexual rejection, 755
Sheep, 285
Shock, 115
Shock-probe, 37
Shock sensitivity, 873
SHR, 731
SIP, 1069
Skeletal muscle fiber types, 803
Sleep, 251, 411, 609, 1063
Sleep onset period, 199
Smoking, 641
Social behavior, 17, 287, 635
Social environment, 603
Social experience, 271
Social facilitation, 749
Social isolation, 493, 603
Social organization, 17
Social rank, 909
Social status, 33, 521
Sodium, 749
Sodium balance, 285
Sodium bicarbonate, 285
Sodium chloride, 241, 385, 731
Sodium chloride intake, 793
Sodium diet, 647
Sodium excretion, 285
Sodium intake, 205, 285
Sodium preference, 285
Sodium regulation, 541
Spalax ehrenbergi, 741
Spatial learning, 505, 959, 979
Spatial response, 1029
Speciation, 741
Spontaneous hypertensive rat (SHR) WKHA WKHT, 49
Spontaneous meals, 1015
Starch, 535
Starvation, 1193
State dependent learning, 449
Stimulants, 379
Stimulation-induced eating, 313
Stimulus, 629
Stomach, 261
Strain differences, 441
Stress, 115, 159, 205, 291, 355, 511, 583, 781, 787, 917, 945, 1127
Struggle, 1197
Submandibular glands, 91
Subterranean mammals, 741
Suckling, 761
Sucrose, 59, 75, 115, 219, 761, 1037, 1107
Sucrose consumption, 699
Sugar, 59, 219
Suprachiasmatic nucleus(ei), 843, 985, 997
Sweet, 75
Sweet tastant, 385
Swimming endurance, 97
Swimming exercise, 1095
Sympathoadrenal function, 205
Systematic behavior, 321

Tachykinin, 153
Tactile, 565
Tail-flick latency, 179, 699
Tailshock, 1055
Taste, 527, 535, 559, 641, 1037, 1187
Taste abnormalities, 385
Taste buds, 27
Taste discrimination, 527
Taste enhancer, 879
Taste intensity, 559
Taste perception, 75
Taste preferences, 935
Taste reactivity, 219
Taste responsivity, 559
Taste threshold, 527
Telemetry, 277
Temperature, 251, 277, 1133
Temporal discrimination learning, 1201
Testosterone, 195, 629, 773, 889, 909
Thalamus, 665
Thelectomy, 485
Thermal gradient, 1133
Thermic effect of food, 879
Thermogenesis, 251
Thermoregulation, 247, 251
Thermoregulatory set-point, 1133
Thirst, 173, 241, 569, 793
Threat, 655
Threshold, 1055
Thymectomy, 291
Thymic hormones, 291
Thymus, 291
Thyroid, 267
Time, 411
Time course of recovery, 505
Time of day, 839
Timing of drug administration, 515
T-maze, 827
Touch recognition, 565
Toxohormone-L, 333
Traffic, 423
Transient insomniac state, 397
Trigeminal, 1121
Trigeminal nucleus, 65
Tripeptide IL-1β antagonist, 1155
Tumor-bearing rat, 803
22 kHz calls, 655
2-deoxy-D-glucose, 313

U50,488H, 1179
Ultrasonic vocalization, 493, 655
Ultrasounds, 105
Umami, 879
Undernutrition, 823
Urinary chemosignals, 521
Uterine blood flow, 163

Vagotomy, 179
Vagus, 179
Vasopressin, 827, 1127
Vasopressin-deficient rats, 827
Ventromedian hypothalamus, 1015
Viscosity, 929
Visual cortex, 401
Vomeronasal system, 707

Waking time, 397
Water deprivation, 885
Water drinking, 569
Water escape task, 959
Water intake, 241, 485, 499, 673, 793, 885
Water load, 647
Water maze, 781
Weekly, 411
Weight cycling, 345
Wheel running, 97, 277, 1077
White adipose tissue, 267
Wistar-fatty rat, 345
Wistar rats, 321
Withdrawal reflexes, 1055

x-KIC, 723

Zinc deficiency, 527
Zinc metabolism, 527
Zucker rats, 679

Reproduced with the permission of Pergamon Press Inc., by University Microfilms Inc. Duplication or resale without permission is prohibited.